

Hex 1.00

Work Order ID 82754

82754

Page 1

Thursday, April 05, 2012 1:04:22 PM

Item ID: D3299-3 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Fitting
 Start Date: 4/5/2012 Start Qty: 6.00 *6* Cust Item ID:
 Required Date: 4/13/2012 Req'd Qty: 6.00 *6* Customer:
 Reference:

Approvals: Process Plan: P Date: 12-04-5 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3299	Rev C

100

0.00

100

Hardinge CNC LATHE SMALL

Doosan

Memo

0.00

Doosan Lathe

Machine as per Folio FA452 and Dwg D3299

Check NPT THREAD WITH SAMPLE IN TOOLING RACK UNDER D3399-1

FOLIO REV: C

DWG REV: 12/5/12

Deburr

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

12/5/12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82754***82754***

Page 2

Thursday, April 05, 2012 1:04:22 PM

Item ID: D3299-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Fitting

Start Date: 4/5/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 4/13/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

OK 12/05/09

8

8

130

Outsource process-Anodize per QSI017 4.1.10.1

0.00

130

Outsource4

Memo

0.00

Outsource process - Anodize

Issue P/O: 17044 Anodize as per Dwg D3299Possible
Supplier: TNM PaintMaterial release note is required

OK 12/05/24 8

140

Receive & Inspect for Damage & Mat'l Certs

0.00

140

Packaging

Memo

0.00

Packaging

Ensure Material Release Note is attached

OK 12/05/31 8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 82754

Thursday, April 05, 2012 1:04:22 PM

82754

Page 3

Item ID: D3299-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Fitting

Start Date: 4/5/2012 Start Qty: 6.00

6

Cust Item ID:

Required Date: 4/13/2012 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC5- Inspect part completeness to step on W/O	0.00							
150						8			W 12 05 31
QC	Memo	0.00							
Quality Control									
160	Identify as per dwg & Stock Location	0.00							
160						8x			SP 12-6-1
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									12/6/4
QC	Memo	0.00							
Quality Control									

MC512/06101

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, April 05, 2012 1:04:28 PM

Page 1

Work Order ID: 82754

82754

Parent Item: D3299-3

D3299-3

Parent Item Name: Fitting

Start Date: 4/5/2012

Required Date: 4/13/2012

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP: A04.10.04New issueKJ/JLM
PER REV C 10-01-19 JLM VERIFIED BY:EC

IPP REV:B AS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6H1.000		Purchased			No	100	f	14.3580	0.1833	1.157684			
M6061T6H1 000									**				
6061-T6 HexBar 1.00													

Location

MAT012

109478

119275

~~121282~~

121660

Loc Qty

14.358

0.421

1.937

12

Loc Code

1.0
~~1.0~~
1.0

2 Rf

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 82754
Description: Fitting		Part Number: D3299-3
Inspection Dwg: D3299	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.00	+/-0.030	1.005	/	/		
Ø0.302	+0.005/-0.000	0.305	/	/		
0.550	+/-0.010	0.550	/	/		
0.63	+/-0.030	0.635	/	/		
2.08	+/-0.030	2.085	/	/		
0.900	+/-0.010	0.905	/	/		
53°	+/-0.5°	53°	/	/		
0.476	-0.005/+0.000	0.474	/	/		
MOW for 9/16"-18	Min = 0.57088 Max = 0.5743	0.572	/	/		
0.200	+/-0.030	0.200	/	/		
0.450	+/-0.010	0.450	/	/		
0.10	+/-0.030	0.130	/	/		
Length of Engagement for 1/4 NPT 0.227	+/-0.010	0.227	/	/	Fixed thread gauge	

Measured by: [Signature]	Audited by: [Signature]	Prototype Approval:	N/A
Date: 12/5/09	Date: 12/05/09	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.09.17	New Issue	KJ/JLM	
B	05.05.25	-0.005/+0.000 added to 0.476	KJ/JLM	
C	08.07.23	Dwg Rev updated	KJ/DD	
D	08.10.24	Tolerances updated	KJ/DD	[Signature]




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



SECTION A-A C5-1



RELEASED
2010-01-14
MD

NOTES:

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B

2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I OR IC OR II OR IIB CLASS 2
POSSIBLE SUPPLIER: ANODIZING TMM PAINT

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3299-1" & B/N USING FINE POINT PERMANENT INK MARKER

7) WEIGHT: 0.42 lbs

D3299-1 FITTING

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 4 82754

1204-3

C	DRAWING UPDATED TO CURRENT STANDARDS. REVISE MATERIAL BAR WAS HEX BAR (ZN A8-1); ADD -7 (ZN A4-4); REVISE DIMENSIONS TO EQUAL TOOL DIMENSIONS (ZN D2-1, D3-1, C2-1, B2-1, D5-4, C4-4, B4-4, C1-4) PER CAR 09-004	RF	09.12.30
B	1.09 WAS 0.837; $\phi 302$ WAS $\phi 297$	RF	05.04.28
A	NEW ISSUE	RF	04.07.06
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.	RF	D3299	SHEET 1 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FITTING	NTS
DATE	09.12.30	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR OWNED OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



82754

RELEASED
R 2010-01-16

D3299-3 FITTING

NOTES:

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM 1.00" HEX BAR
PER QQ-A-200/8 OR QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6H1.000

2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I CR IC OR II OR IIB CLASS 2
POSSIBLE SUPPLIER: ANODIZING TNM PAINT

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3299-3" & B/N USING FINE POINT PERMANENT INK MARKER

7) WEIGHT: 0.20 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.	RF	D3299	SHEET 2 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FITTING	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



82754



SECTION B-B
SCALE 2X D6-3

RELEASED
2010-01-14

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM 1.63" HEX BAR
PER QQ-A-200/8 OR QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6H1.625
- 2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I OR IC OR II OR IIB CLASS 2
POSSIBLE SUPPLIER: ANODIZING TMM PAINT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3299-5" & B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.57 lbs

D3299-5 FITTING

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	45	DRAWING NO.	REV. C
MFG. APPR.	27	D3299	SHEET 3 OF 4
APPROVED	140	TITLE	SCALE
DE APPR.	14	FITTING	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



SECTION C-C C5-4



8254



D3299-7 FITTING

RELEASED
2010-01-16
MP

NOTES:

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B

2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I OR IC OR II OR IIB CLASS 2
POSSIBLE SUPPLIER: ANODIZING TNM PAINT

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3299-7" & B/N USING FINE POINT PERMANENT INK MARKER

7) WEIGHT: 0.40 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. C
MFG. APPR.	RF	D3299	SHEET 4 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	FITTING	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17044

Purchase Order Date 5/24/12

PO Print Date 5/24/12

Page Number 1 of 1

Order From :

VC-ATG001

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

Contact Name

Vendor Phone

613-446-4544

Vendor Fax

613-446-4556

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
5/24/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	82754	D3299-3 FITTING	5/29/12 Yes	8.00		\$12.5000	\$100.00

Special Inst: BLUE ANODIZE AS PER DWG D3299
REV. C
B82754
ANODIZE PER MIL-A-8625F TYPE I OR
IB OR IC
OR II OR IIB CLASS 2

PO Total:

\$100.00

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 5/24/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada
Ph: (613) 446-4544
Fax: (613) 446-4556

Pack List

Number: 61748

Date: 28-May-12

To

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
CANADA

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
CANADA

613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

ns

Ship Via

Quantity

Description

8

Part: D3299-3

Rev:

ea

BLUE ANODIZE
MIL-A-8625 TYPE II CLASS 2

MINIMUM RUN
Job: 20120330

PO: PO17044


Line:

Certificate of Conformance

A.T.G. Industries certifies that all items in this shipment are in conformance
with all requirements, specifications and drawings referenced in the purchase order.

ISO 9001 : 2008 REGISTERED
ATG SALES-2010 TERMS APPLY

DATE: 28/5/12

CERTIFIED SIGNATURE: 

RECEIVER SIGNATURE: _____